
Overview

In this assignment, you will extend your compiler to support a general dataflow analysis framework, and then you will optimize the TAC for each method in a program using dataflow information.

Implementation Details

[Note: I use the class names from my implementation below — you will probably need to convert them to the names in your compiler.]

Control-flow Graph. You will first build a control-flow graph representation of the TAC for a method. More specifically, you should design a package that builds a CFG for a method's `TACList`. I suggest that you use a simple representation where each CFG node is a single instruction. I provide a few classes — all you need to write is a class to convert a `TACList` in a `ControlFlowGraph` object.

Generic Dataflow Analysis Framework. Your implementation of the dataflow analysis framework will include a generic dataflow engine. This engine is implemented once and reused as the base class for each analysis instance. Each analysis instance will describe the specific lattice and transfer functions that it uses. The dataflow analysis provides a method that solves the dataflow equations using the iterative algorithm explored in the homeworks. Additional methods will access to the IN and OUT values for each basic block in the CFG, once the solution is computed. The dataflow analysis engine is capable of performing both forward or and backward analyses.

Analysis Instances. You will then implement the following analysis instances:

- *Live variables analysis*: compute variables which may be live at each program point.
- At least one of:
 - *Constant folding analysis*: determine variables whose values are constant.
 - *Available expressions*: compute expressions available in all of the program executions.

Bonus points for implementing all three.

Optimization. Finally, you will use the results of the analyses that you have implemented to perform the following optimizations:

- *Dead code elimination*: Removes code that updates variables whose values are not used in any executions. This optimization will use the results from the live variable analysis.
- *Constant folding*: Uses the results from constant folding analysis and replace each constant variable with the computed constant.
- *Common subexpression elimination*: Reuses expressions already computed in the program. Here you will use the information computed with the available expressions analysis. If an expression is available before an instruction that re-computes that expression, you have to replace the computation by the variable which holds the result of that expression in all executions of the program. If there is no such variable, you will create a temporary variable to store the result of the expression at the site where the expression is initially computed.

Common subexpression elimination should also remove redundant run-time checks such as array bounds checks or null pointer checks. (In HW 10, redundant null-pointer check removal was

phrased as a separate analysis and optimization. You may do it that way as well, if you prefer, although it should also fit nicely into CSE.)

Note that your CSE implementation will only find syntactically equivalent expressions. To do a better job at finding common expressions, you may want to add a Copy Propagation pass as well. This extension should be reasonably straight-forward, once you have the infrastructure built.

Command Line Invocation. As in the previous assignment, your compiler must be invoked with a single file name as argument: `java ic.Compiler <file.ic>`. With this command, the compiler will parse the input file, perform semantic checks, generate intermediate code, and build the control flow graph. Then, it will perform various analyses and optimizations on the three-address code. In addition to all of the options from the previous assignments, your compiler should support the following command-line options:

- Option `-dce` for dead code elimination;
- Option `-cfo` for constant folding, if implemented;
- Option `-cse` for common subexpression elimination, if implemented;
- Option `-opt` to perform all optimizations.
- Option `-printDFA` to print the dataflow facts computed for each program point.

The compiler will perform the optimizations in the order they occur on the command line. The above arguments may appear multiple times in the same command line — in that case the compiler will execute them multiple times, *in the specified order*. The compiler should only perform the analyses necessary for the optimizations requested.

When the `-printIR` also occurs on the command line, you must print the TAC before or after optimizations, depending on where it occurs in the command line. For instance, with: `-cfo -printIR -dce`, you must print the TAC after the compiler performs constant folding, but before it removes dead code.

Your compiler must also print out the computed dataflow information when supplied with the command line option `-printDFA`. Specifically, the compiler should print the dataflow information at each point in the program for each analysis implemented. *Make sure your output is readable*. Each dataflow fact must clearly indicate the program statement that it refers to, and whether it represents the information before or after the statement.

Code Structure

You should extend your code base with three additional packages:

- `cfg`: Classes to represent and build a CFG for a `TACList`.
- `dfa`: Classes for the general dataflow solver, as well as the specific instances necessary for this assignment and any supporting classes.
- `opt`: Classes to implement the three optimizations listed above.

I will give you a few starter files this week that will help you organize these three packages. Feel free to use any or all of them, or ignore them if you prefer to write them in a different way.

BasicBlock and ControlFlowGraph. These two classes in `cfg` are simple classes that represent one basic block and a control flow graph. Each basic block is restricted to one instruction, which is sufficient for this assignment. (Having larger basic blocks is simply an optimization to avoid some computation and space overhead for the analyses we are performing.) When constructing the CFG, don't forget to include dummy nodes for `enter` and `exit`. (These can hold a `TACComment` instruction, a `TACNoOp` instruction, `null`, etc.). You should not need to modify these two classes, although you are free to do so if you wish.

In addition to `toString`, the `ControlFlowGraph` supports generating dot files to show the control flow graph graphically with the `dotToFile` method. If you generate a `.dot`, the following commands will show you the graph:

```
dot -Tps < a.dot > a.ps
xv a.ps
```

DataFlowAnalysis. This general class for solving dataflow instances in `dfa` will be the superclass of all analysis instances:

```
public abstract class DataFlowAnalysis<T> {

    public DataFlowAnalysis(ControlFlowGraph cfg) { ... }
    public void solve() { ... }
    public T in(BasicBlock b) { ... }
    public T out(BasicBlock b) { ... }

    /*
     * These six methods define a dataflow instance and are
     * defined differently in each subclass.
     */
    // return true iff the analysis is a forward analysis
    public abstract boolean isForward();

    // initial value for out[enter] or in[exit], depending on direction.
    public abstract T boundary();

    // Top value in the lattice of T elements.
    public abstract T top();

    // Return the meet of t1 and t2 in the lattice.
    public abstract T meet(T t1, T t2);

    // Return true if t1 and t2 are equivalent.
    public abstract boolean equals(T t1, T t2);

    // Return the result of applying the transfer function for
    // instr to t.
    public abstract T transfer(TACInstr instr, T t);
}
```

This class is parameterized by the type `T`, which is the type of value contained in the lattice. The `solve` method is responsible for computing the solution for the CFG passed into the constructor. After calling `solve`, the `in` and `out` methods can be used to access the dataflow facts for each basic block.

To use the framework, you extend this class with a new class — `LiveVariableAnalysis`, for example — which defines the six abstract methods describing the lattice, transfer functions, meet operator, boundary value, and direction of the analysis.

The starter code contains a very simple example analysis that determines whether TAC instructions are unreachable (because there is a return statement on all paths leading to them.) You can use this analysis to help debug your algorithm, and to give you ideas on how to structure your other analyses. You can often implement the transfer functions using the propagating visitor pattern, as I illustrate in a variant of the unreachable analysis.

When implementing your analyses, make reasonable design choices about how to represent the dataflow facts, and feel free to use the `java.util` collection classes wherever possible.

Optimization. This class in `opt` is the superclass for all optimizations:

```
public abstract class Optimization {  
  
    /**  
     * Apply the optimization to each Method in p.  
     * Return true if the TAC for any of them changed.  
     */  
    public boolean optimize(Program p)  
  
    /**  
     * Apply the optimization to the method md.  
     * Return true if the TAC for the method changes  
     * at all.  
     */  
    public abstract boolean optimize(MethodDecl md);  
}
```

To create an optimization, simply create a subclass of `Optimization` and define `optimize(md)` to compute dataflow information and perform the optimization on `md`. That method should replace the method's TAC list with the optimized version. You can either provide methods in your `TACList` class to modify an existing list, or you can construct a new list to replace the old one.

The `Optimization` methods return true to indicate the something changed. While not required, you can provide a `-iter` command-line option that iterative applies all optimizations over and over again until no additional changes happen.

Schedule

There is one intermediate milestone for PA 4:

Tuesday, Nov. 20: Before you leave for Thanksgiving, your compiler should generate the Control Flow Graph for a `TACList` and support the `-printDFA` option for at least one dataflow analysis.

Friday, Nov. 30: PA 4 is due. Your compiler should support the command line options listed above for the optimizations you have implemented. Be sure to include in your writeup any important details about the dataflow and optimization passes, a summary of your testing methodology, and any known bugs.

Extensions

There are many, many optimizations that are possibly in your framework. If you want to try others, have a look at:

- Copy Propagation
- Partial Redundancy Elimination.
- Loop Invariant Code Motion.
- Any other analysis from our discussions.

These would all make excellent extensions to PA 4.